

PECO Energy Company

Electric Service Tariff

COMPANY OFFICE LOCATION

2301 Market Street

Philadelphia, Pennsylvania 19103

For List of Communities Served, See Page 4.

Issued November 11, 2022

Effective December 1, 2022

**ISSUED BY: M. A. Innocenzo – President & CEO
PECO Energy Distribution Company
2301 MARKET STREET
PHILADELPHIA, PA. 19103**

NOTICE

LIST OF CHANGES MADE BY THIS SUPPLEMENT**Non-Bypassable Transmission Charge (NBT) – 2nd Revised Page No. 45**

Reflects semiannual adjustment for Non-Bypassable Transmission Charge pursuant to Order at Docket No. P-2014-2409362.

Rate R-ResidenceService – 6th Revised Page No. 51

Reflects semiannual adjustment for Non-Bypassable Transmission Charge pursuant to Order at Docket No. P-2014-2409362.

Rate RH - Residential Heating Service 6th - Revised Page No. 52

Reflects semiannual adjustment for Non-Bypassable Transmission Charge pursuant to Order at Docket No. P-2014-2409362.

Rate GS - General Service – 4th Revised Page No. 56

Reflects semiannual adjustment for Non-Bypassable Transmission Charge pursuant to Order at Docket No. P-2014-2409362.

Rate SL-E Street Lighting Customer Owned Facilities – 4th Revised Page No. 65

Reflects semiannual adjustment for Non-Bypassable Transmission Charge pursuant to Order at Docket No. P-2014-2409362.

Rate SL-C Smart Lighting Control Lighting Customer Owned Facilities – 4th Revised Page No. 67

Reflects semiannual adjustment for Non-Bypassable Transmission Charge pursuant to Order at Docket No. P-2014-2409362.

Rate TLCL - Traffic Lighting Constant Load Service – 4th Revised Page No. 70

Reflects semiannual adjustment for Non-Bypassable Transmission Charge pursuant to Order at Docket No. P-2014-2409362.

TABLE OF CONTENTS

List of Communities Served4
 How to Use Loose-Leaf Tariff5
 Definition of Terms and Explanation of Abbreviations 6,7,8,9
RULES AND REGULATIONS:
 1. The Tariff10
 2. Service Limitations10
 3. Customer's Installation 11¹
 4. Application for Service12
 5. Credit13
 6. Private-Property Construction 14, 15
 7. Extensions 16,17
 8. Rights-of-Way 18
 9. Introduction of Service19
 10. Company Equipment19
 11. Tariff and Contract Options21
 12. Service Continuity22
 13. Customer's Use of Service24
 14. Metering24
 15. Demand Determination24
 16. Meter Tests26
 17. Billing and Standard Payment Options27
 18. Payment Terms & Termination of Service 28
 19. Unfulfilled Contracts31
 20. Cancellation by Customer31
 21. General32
 22. Rules For Designation of Procurement Class32
 23. EGS Switching33
 24. Load Data Exchange33
 STATE TAX ADJUSTMENT CLAUSE34
 FEDERAL TAX ADJUSTMENT CREDIT (FTAC)35
 GENERATION SUPPLY ADJUSTMENT FOR PROCUREMENT CLASS 1 AND 2 36⁴, 37⁴, 37A⁴
 GENERATION SUPPLY ADJUSTMENT FOR PROCUREMENT CLASS 3/4 38⁴
 RECONCILIATION 39, 40
 NUCLEAR DECOMMISSIONING COST ADJUSTMENT CLAUSE (NDCA)41
 PROVISIONS FOR RECOVERY OF UNIVERSAL SERVICE FUND CHARGE (USFC) 42¹
 PROVISION FOR THE RECOVERY OF CONSUMER EDUCATION PLAN COSTS 43¹
 TRANSMISSION SERVICE CHARGE 44²
 NON-BYPASSABLE TRANSMISSION CHARGE (NBT) 45²
 PROVISION FOR THE TAX ACCOUNTING REPAIR CREDIT (TARC)46
 PROVISION FOR THE RECOVERY OF ENERGY EFFICIENCY AND CONSERVATION PROGRAM COSTS PHASE IV47¹
 DISTRIBUTION SYSTEM IMPROVEMENT CHARGE (DSIC)48², 49, 50
RATES:
 Rate R Residence Service51⁶
 Rate R-H Residential Heating Service 52⁶
 Rate RS-2 Net Metering 53¹, 54, 55¹
 Rate GS General Service 56⁴, 57
 Rate PD Primary-Distribution Power 58²
 Rate HT High-Tension Power 59²
 Rate EP Electric Propulsion 60¹
 Rate POL Private Outdoor Lighting 61, 62
 Rate SL-S Street Lighting-Suburban Counties 63, 64
 Rate SL-E Street Lighting Customer-Owned Facilities 65⁴, 66
 Rate SL-C Smart Lighting Control Customer Owned Facilities 67⁴, 68, 69
 Rate TLCL Traffic Lighting Constant Load Service 70⁴
 Rate BLI Borderline Interchange Service71
 Rate AL Alley Lighting in City of Philadelphia 72¹
RIDERS:
 Applicability Index of Riders73
 Capacity Reservation Rider 74, 75, 76, 77, 78
 CAP Rider - Customer Assistance Program 79¹
 Casualty Rider80
 Construction Rider81

NON-BYPASSABLE TRANSMISSION CHARGE (NBT)

Purpose: The purpose of this surcharge is to provide for full and current cost recovery of certain transmission service related costs incurred under the PJM open access transmission tariff on behalf of the Company's distribution service load in accordance with Docket # P-2014-2409362.

Applicability: The surcharge shall be assessed to all distribution customers. The cost shall be allocated to each rate class based upon the coincident peak used by PJM to establish the network service obligation.

Billing Provisions: The NBT shall be included in distribution rates charged to customers taking service under the Residential, Small C&I and Street Lighting class rate schedules as described below.

For Rates PD, HT, and EP (Large C&I class), a PJM Peak Load Contribution (PLC) shall be determined in accordance with PJM rules and used to calculate the NBT. Customer's PLC will be computed to the nearest kilowatt. The NBT shall be recovered through a separate charge listed on customers' bills.

The surcharge shall be calculated on a semi-annual basis using the formula below:

NBT(n) = (C+E+I)/S(n) * 1/(1-T) where;

NBT(n) = transmission service cost for customer class n including over or under recovery and associated interest.

C – the transmission service charges incurred by PECO under the PJM open access transmission tariff. These costs shall include the following:

Regional Transmission Expansion Plan charges, Expansion Cost Recovery charges, Generation Deactivation/Reliability Must Run charges and any costs to implement the Non-Bypassable Transmission charge in accordance with Docket # P-2014-2409362.

E – The estimated over or under recovery from the applicable reconciliation period.

I – Interest on any over or under recovery balance. Interest shall be computed monthly at a 6% annual simple interest rate from the month that the overcollection or undercollection occurs to the mid-point of the recovery period.

n – rate class where: 1 = residential, 1a = RH, 2 = small C&I, 3 = large C&I, 4 = street lighting

Residential – Rates R, RH (reconciled as a group)

Small C&I – Rate GS

Large C&I – Rates HT, PD, EP (reconciled as a group)

Street Lighting – SLE, SLC, SLS, POL, AL, TLCL (reconciled as a group)

S – Estimated distribution service sales for residential class and the street lighting class in the applicable application period. For the Small C&I class (Rate GS) it shall be the estimated billed demand for the applicable application period. For the Large C&I class (Rates PD, HT, and EP), the PJM PLC shall be used to calculate the NBT. The application period will be the period when rates will be in effect.

T – The currently effective gross receipts tax rate.

Filings and Reconciliations: The Company shall submit filings 15 days prior to the start of the application period beginning June 1, 2015. Thereafter, the Company will file a surcharge adjustment 15 days prior to June 1 and December 1 of each year. If it is apparent that such methodology would result in a significant over or under recovery before the next 6 month filing for an individual customer class, the Company may propose a rate adjustment 15 days prior to the next effective GSA rate adjustment date (Effective date of March 1, September 1). The annual reconciliation statement will be made by December 31 each year.

Current Non-Bypassable Transmission Rate:

R= \$.00345per kilowatt hour

RH= \$.00345 per kilowatt hour

Small C&I = \$0.89 per billed distribution kW

Large C&I = \$1.06 per kW based on the PJM PLC

Street Lighting = \$.00051 per kilowatt hour

(D)
(D)
(D)
(D)
(D)

(D) Denotes Decrease

RATE R RESIDENCE SERVICE

AVAILABILITY.

Single phase service in the entire territory of the Company to the dwelling and appurtenances of a single private family (or to a multiple dwelling unit building consisting of two to five dwelling units, whether occupied or not), for the domestic requirements of its members when such service is supplied through one meter. Service is also available for related farm purposes when such service is supplied through one meter in conjunction with the farmhouse domestic requirements.

Each dwelling unit connected after May 10, 1980 except those dwelling units under construction or under written contract for construction as of that date must be individually metered for their basic service supply. Centrally supplied master metered heating, cooling or water heating service may be provided if such supply will result in energy conservation.

The term "residence service" includes service to: (a) the separate dwelling unit in an apartment house or condominium, but not the halls, basement, or other portions of such building common to more than one such unit; (b) the premises occupied as the living quarters of five persons or less who unite to establish a common dwelling place for their own personal comfort and convenience on a cost sharing basis; (c) the premises owned by a church, and primarily designated or set aside for, and actually occupied and used as, the dwelling place of a priest, rabbi, pastor, rector, nun or other functioning Church Divine, and the resident associates; (d) private dwellings in which a portion of the space is used for the conduct of business by a person residing therein; (e) A detached garage, located on the same premises as the customer's dwelling unit, that is utilized solely for the domestic requirements of the dwelling unit's members and is served through the same meter as the dwelling unit; (g) A detached garage, located on the same premises as the customer's dwelling unit, that is utilized solely for the domestic requirements of the dwelling unit's members and requires separate metering service as a result of wiring restrictions or legal requirements.

The term does NOT include service to: (a) Premises institutional in character including Clubs, Fraternities, Orphanages or Homes; (b) premises defined as a rooming house or boarding house in the Municipal Code for Cities of the First Class enacted by Act of General Assembly; (c) a premises containing a residence unit but primarily devoted to a professional or other office, studio, or other gainful pursuit; (d) electric furnaces or welding apparatus other than a transformer type "limited input" arc welder with an input not to exceed 37 1/2 amperes at 240 volts.

CURRENT CHARACTERISTICS. Standard single phase secondary service.

MONTHLY RATE TABLE.

FIXED DISTRIBUTION SERVICE CHARGE: \$10.51

FIXED DISTRIBUTION SERVICE CHARGE FOR FORMER OFF-PEAK METERS: \$2.04

VARIABLE DISTRIBUTION SERVICE CHARGE:

All kWhs \$0.07447 per kWh

(D)

ENERGY SUPPLY CHARGE:

Refer to the Generation Supply Adjustment Procurement Class 1.

TRANSMISSION SERVICE FOR CUSTOMERS RECEIVING DEFAULT SERVICE: The Transmission Service Charge shall apply.

MINIMUM CHARGE: The minimum charge per month will be the Fixed Distribution Service Charge.

STATE TAX ADJUSTMENT CLAUSE, DISTRIBUTION SYSTEM IMPROVEMENT CHARGE (DSIC), FEDERAL TAX ADJUSTMENT CREDIT (FTAC), NUCLEAR DECOMMISSIONING COST ADJUSTMENT, UNIVERSAL SERVICE FUND CHARGE, NON-BYPASSABLE TRANSMISSION CHARGE, PROVISION FOR THE RECOVERY OF ENERGY EFFICIENCY AND CONSERVATION PROGRAM COSTS, PROVISION FOR THE TAX ACCOUNTING REPAIR CREDIT AND PROVISION FOR THE RECOVERY OF CONSUMER EDUCATION PLAN COSTS APPLY TO THIS RATE.

PAYMENT TERMS. Standard.

(D) Denotes Decrease

RATE R H RESIDENTIAL HEATING SERVICE

AVAILABILITY.

Single phase service to the dwelling and appurtenances of a single private family (or to a multiple dwelling unit building consisting of two to five dwelling units, whether occupied or not), for domestic requirements when such service is provided through one meter and where the dwelling is heated by specified types of electric space heating systems. The systems eligible for this rate are (a) permanently connected electric resistance heaters where such heaters supply all of the heating requirements of the dwelling, (b) heat pump installations where the heat pump serves as the heating system for the dwelling and all of the supplementary heating required is supplied by electric resistance heaters, and (c) heat pump installations where the heat pump serves as the heating system for the dwelling and all of the supplementary heating required is supplied by non electric energy sources. All space heating installations must meet Company requirements. This rate schedule is not available for commercial, institutional or industrial establishments.

Each dwelling unit connected after May 10, 1980 except those dwelling units under construction or under written contract for construction as of that date, must be individually metered

CURRENT CHARACTERISTICS. Standard single phase secondary service.

MONTHLY RATE TABLE.

FIXED DISTRIBUTION SERVICE CHARGE: \$10.51

FIXED DISTRIBUTION SERVICE CHARGE FOR FORMER OFF-PEAK METERS: \$2.04

VARIABLE DISTRIBUTION SERVICE CHARGE:

SUMMER MONTHS. (June through September)

\$0.07447 per kWh for all kWh.

(D)

WINTER MONTHS. (October through May)

\$0.05464 per kWh for all kWh

(D)

ENERGY SUPPLY CHARGE:

Refer to the Generation Supply Adjustment Procurement Class 1.

TRANSMISSION SERVICE FOR CUSTOMERS RECEIVING DEFAULT SERVICE: The Transmission Service Charge shall apply.

MINIMUM CHARGE. The minimum charge per month will be the Fixed Distribution Service Charge.

STATE TAX ADJUSTMENT CLAUSE, DISTRIBUTION SYSTEM IMPROVEMENT CHARGE (DSIC), FEDERAL TAX ADJUSTMENT CREDIT (FTAC), NUCLEAR DECOMMISSIONING COST ADJUSTMENT, UNIVERSAL SERVICE FUND CHARGE NON-BYPASSABLE TRANSMISSION CHARGE, PROVISION FOR THE RECOVERY OF ENERGY EFFICIENCY AND CONSERVATION PROGRAM COSTS, PROVISION FOR THE TAX ACCOUNTING REPAIR CREDIT AND PROVISION FOR THE RECOVERY OF CONSUMER EDUCATION PLAN COSTS APPLY TO THIS RATE.

COMBINED RESIDENTIAL AND COMMERCIAL SERVICE. Where a portion of the service provided is used for commercial purposes, the appropriate general service rate is applicable to all service; or, at the option of the customer, the wiring may be so arranged that the residential service may be separately metered and this rate is then applicable to the residential service only.

PAYMENT TERMS. Standard.

(D) Denotes Decrease

RATE-GS GENERAL SERVICE

AVAILABILITY.

Service through a single metering installation for offices, professional, commercial or industrial establishments, governmental agencies, farms and other applications outside the scope of the Residence Service rate schedules.

Transformed service from the Company's distribution system where the company installs, owns, and maintains any transforming, switching and other receiving equipment required.

For service configurations that are nominally 120/208 volts, 3 phase, 4 wires - If either the service capacity or the parallel-generating capacity exceeds 750 kVA for transformers located inside the building, the only rate option available to the customer will be Rate HT. If either the service capacity or the parallel-generating capacity exceeds 750 kVA but remains at or below 1,500 kVA for transformers outside the building, the customer may request service at 277/480 volts, 3-phase 4-wires from transformers located outside the building. Otherwise the only rate option available to the customer will be Rate HT.

For service configurations that are nominally 277/480 volts, 3 phase, 4 wires - If either the service capacity or the parallel-generating capacity exceeds either 750 kVA for transformers located inside the building or 1,500 kVA for transformers located outside the building, the only rate option available to the customer will be Rate HT.

CURRENT CHARACTERISTICS.

Standard single-phase or polyphase secondary service.

MONTHLY RATE TABLE.

FIXED DISTRIBUTION SERVICE CHARGE:

- \$ 18.99 for single-phase service without demand measurement, or
- \$ 24.21 for single-phase service with demand measurement, or
- \$ 57.94 for polyphase service.

VARIABLE DISTRIBUTION SERVICE CHARGE:

\$9.01 per kW of billed demand

(D)

(\$0.0006) per kWh for all kWh

ENERGY EFFICIENCY CHARGE: \$0.00203 per kWh

ENERGY SUPPLY CHARGE: Refer to the Generation Supply Adjustment Procurement Classes 2 and 3/4.

TRANSMISSION SERVICE FOR CUSTOMERS RECEIVING DEFAULT SERVICE: The Transmission Service Charge shall apply.

STATE TAX ADJUSTMENT CLAUSE, DISTRIBUTION SYSTEM IMPROVEMENT CHARGE (DSIC), FEDERAL TAX ADJUSTMENT CREDIT (FTAC), NUCLEAR DECOMMISSIONING COST ADJUSTMENT, NON-BYPASSABLE TRANSMISSION CHARGE, PROVISION FOR THE RECOVERY OF ENERGY EFFICIENCY AND CONSERVATION PROGRAM COSTS, PROVISION FOR THE TAX ACCOUNTING REPAIR CREDIT AND PROVISION FOR THE RECOVERY OF CONSUMER EDUCATION PLAN COSTS APPLY TO THIS RATE.

DETERMINATION OF DEMAND.

The billing demand may be measured where consumption exceeds 1,100 kilowatt-hours per month for three consecutive months; or where load tests indicate a demand of five or more kilowatts; or where the customer requests demand measurement. Measured demands will be determined to the nearest 0.1 of a kilowatt but will not be less than 1.2 kilowatts, and will be adjusted for power factor in accordance with the Rules and Regulations.

For those customers with demand measurement the billing demand will be determined as follows:

- (a) For customers with demand up to 500 kW, the billing demand shall be the measured demand, with a minimum billing demand of 1.2 kW.

For customers with demand greater than 500 kW, the billing demand shall be the greater of (i) the measured demand, (ii) 40% of the maximum contract demand; or (iii) the maximum measured demand from the prior year.

If a measured demand customer has less than 1,100 monthly kilowatt-hours of use, the monthly billing demand will be the measured demand or the metered monthly kilowatt-hours divided by 175 hours, whichever is less, but not less than 1.2 kilowatts.

For those customers without demand measurement, the monthly billing demand will be computed by dividing the metered monthly kilowatt-hours by 175 hours. The computed demand will be determined to the nearest 0.1 of a kilowatt, but will not be less than 1.2 kilowatts.

MINIMUM CHARGE.

The monthly minimum charge for customers with demand measurement will be the Fixed Distribution Service Charge, plus the Variable Distribution Service Charge per KW of minimum billing demand as described above. The monthly minimum charge for customers with demand measurement will be the Fixed Distribution Service Charge, plus per KW of billing demand. In addition to the above, for customers in Procurement Class 3/4 charges will be assessed on PJM's reliability pricing model.

(D) Denotes Decrease

RATE SL-E STREET LIGHTING CUSTOMER OWNED FACILITIES

AVAILABILITY.

To any governmental agency for outdoor lighting provided for the safety and convenience of the public of streets, highways, bridges, parks or similar places, including directional highway signs at locations where other outdoor lighting service is established hereunder only if all of the Utilization Facilities, as defined in Terms and Conditions in this Base Rate, are installed, owned and maintained by a governmental agency.

This rate is also available to community associations of residential property owners both inside and outside the City of Philadelphia for the lighting of streets that are not dedicated. This rate is not available to commercial or industrial customers. All facilities and their installation shall be approved by the Company.

MONTHLY RATE TABLE.

SERVICE LOCATION DISTRIBUTION CHARGE: \$7.38 per Service Location (as defined below) *
VARIABLE DISTRIBUTION CHARGE: \$0.01868 per kWh

(D)

ENERGY SUPPLY CHARGE: Refer to the Generation Supply Adjustment Procurement Class 2*.

* The service location charge includes an Energy Efficiency Program Surcharge of \$0.73 per location.

TRANSMISSION SERVICE FOR CUSTOMERS RECEIVING DEFAULT SERVICE: The Transmission Service charge shall apply.

STATE TAX ADJUSTMENT CLAUSE, DISTRIBUTION SYSTEM IMPROVEMENT CHARGE (DSIC), FEDERAL TAX ADJUSTMENT CREDIT (FTAC), PROVISION FOR THE RECOVERY OF CONSUMER EDUCATION PLAN COSTS, PROVISION FOR THE RECOVERY OF ENERGY EFFICIENCY AND CONSERVATION PROGRAM COSTS, NON-BYPASSABLE TRANSMISSION CHARGE, PROVISION FOR THE TAX ACCOUNTING REPAIR CREDIT AND NUCLEAR DECOMMISSIONING COST ADJUSTMENT APPLY TO THIS RATE.

SERVICE LOCATION.

A Service Location is the Point of Delivery on the Company's secondary circuit. that connects to one or more Utilization Facilities. A customer may connect multiple Utilization Facilities to a single Service Location in accordance with Paragraph 2c and approval by the Company.

DETERMINATION OF ENERGY BILLED.

The energy use for a month of a Service Location shall be computed to the nearest kilowatt hour as the product of one thousandth of its wattage and the effective hours of use of such wattage during the calendar month under the established operation schedules as set forth under Terms and Conditions, Paragraph 1 Service. The wattage, expressed to the nearest tenth of a watt, of a Service Location shall be composed of manufacturer's rating of its lamps, ballasts, transformers, individual controls and other load components required for its operation. The aggregate of the kilowatt hours thus computed for all Active Service Locations shall constitute the energy billed for the month.

TERMS AND CONDITIONS.

1. Service. Lighting service will be operated on all-night, every-night lighting schedules, under which lights normally are turned on after sunset and off before sunrise with approximately 4,100 annual operating hours (average monthly burning hours = 341.11 hours). Extended lighting service during all daylight hours will be supplied for lamps specified by the customer

2. Ownership of Utilization Facilities.

a. Service Locations Supplied from Aerial Circuits: customer shall provide, own and maintain the Utilization Facilities defined as the brackets, hangers, luminaires, lamps/LED array(s), ballasts/drivers, transformers, individual controls, conductors, molding and supporting insulators between the lamp receptacles and line wires of the Company's distribution facilities and any other components as required for the operation of each Service Location.

The Company shall provide the supporting pole or post for such aerially supplied Service Location and will issue authorization to permit the customer to install thereon the said Utilization Facilities. If the Company sells aerially supplied streetlighting facilities to a government agency in order to qualify for SL-E, such sale will include the supporting pole or post.

b. Service Locations Supplied from Underground Circuits: customer shall provide, own and maintain the Utilization Facilities defined as brackets or hangers, luminaires, lamps/LED array(s), ballasts/drivers, transformers, individual controls, and conductors and shall assume all costs of installing such Utilization Facilities. Customer shall also provide, own, and maintain the supporting pole or post foundation with 90 degree pipe bend, and conduits from the luminaires to sidewalk level, or in special cases, such as Federally and State financed limited access highways, to a Service Location designated by the Company on its secondary voltage circuit.

Except as provided in Paragraph 5 Supply Facilities, the Company shall own conduit from the distribution circuit to the 90 degree pipe bend, shall own conductors from its distribution system to the designated Service Location and shall provide sufficient length of conductors for splicing at the designated Service Location or in the post base where sidewalk level access is provided.

c. Service to Group of Utilization Facilities:

AERIAL SUPPLY

When the customer requests service to a group of Utilization Facilities supplied from aerial distribution facilities, the customer is responsible for providing the support poles or posts for the Utilization Facilities. The Company will provide a service, nominally 100 feet, to the customer's first supporting structure. The customer is responsible for installing supply conductors from the first supporting structure to all Utilization Facilities.

UNDERGROUND SUPPLY

When groups of Utilization Facilities are supplied from underground distribution facilities, the customer is responsible for the supporting poles or posts and the supply conductors to each Utilization Facility from the designated Service Location. If the customer requests an underground supply to a group of Utilization Facilities and the designated Service Location is a secondary terminal pole, the customer will install, own, maintain all cable, including the cable on the pole.

3. Standards of Construction for Utilization Facilities. Customer construction shall meet the Company's standards which are based upon the National Electrical Safety Code. Designs of proposed construction deviating from such standards shall be submitted to the Company for approval before proceeding with any work.

(D) Denotes Decrease

RATE SL-C SMART LIGHTING CONTROL LIGHTING CUSTOMER OWNED FACILITIES

AVAILABILITY.

Any governmental agency for outdoor lighting, provided for the safety and convenience of the public of streets, highways, bridges, parks or similar places, that complies with each of the following conditions:

- (A) Installs a Smart Lighting Control Module approved by the Company that has capabilities including but not necessarily limited to:
 - a. Measurement of energy usage at the individual Utilization Facility level.
 - b. Customer control of the lamp's burning hours.
 - c. Data showing failure of the lamp to burn, such as customer notification, that customer can provide to Company upon request.
 - d. Ability of customer to dim the lights (LED only).
- (B) Provides energy usage to the Company as described below under Data Requirements.
- (C) Installs, owns, and maintains all Utilization Facilities, as defined in the Terms and Conditions of this Base Rate. (All facilities and their installation shall be approved by the Company.)

This rate is also available to community associations of residential property owners both inside and outside the City of Philadelphia for the lighting of streets that are not dedicated. This rate is not available to commercial or industrial customers.

Customers may take service under the rate beginning on July 1, 2019. The below listed pricing will be revised, as needed, based on applicable surcharge adjustments prior to the SL-C effective service date of July 1, 2019.

MONTHLY RATE TABLE.

SERVICE LOCATION DISTRIBUTION CHARGE: \$6.36 per Service Location (as defined below)*
VARIABLE DISTRIBUTION CHARGE: \$0.03495 per kWh

(D)

ENERGY SUPPLY CHARGE: Refer to the Generation Supply Adjustment Procurement Class 2*.

* The service location charge includes an Energy Efficiency Program Surcharge of \$0.73 per location.

TRANSMISSION SERVICE FOR CUSTOMERS RECEIVING DEFAULT SERVICE: The Transmission Service charge shall apply.

STATE TAX ADJUSTMENT CLAUSE, FEDERAL TAX ADJUSTMENT CREDIT (FTAC), PROVISION FOR THE RECOVERY OF CONSUMER EDUCATION PLAN COSTS, NON-BYPASSABLE TRANSMISSION CHARGE, AND NUCLEAR DECOMMISSIONING COST ADJUSTMENT APPLY TO THIS RATE.

SERVICE LOCATION.

A Service Location is the Point of Delivery on the Company's secondary circuit that connects to one or more Utilization Facilities. A customer may connect multiple Utilization Facilities to a single Service Location in accordance with Paragraph 2c and approval by the Company

DATA REQUIREMENTS.

The customer must notify the Company of its intent to enroll or modify lights under this rate at least 30 days prior to the start of the regularly scheduled billing cycle during which the enrollment or modification will become effective.

The customer must provide the following data to the Company from its Company-approved Smart Lighting Control Module for each light added or modified:

- (A) Manufacturer-rated wattage
- (B) Annual burning hours, if different than the standard 4,100 burning hours as defined below under paragraph 1 Service of Terms and Conditions
- (C) Dimming percentage/factor

The Company also requires the customer to provide the Global Positioning System (GPS) coordinates for each light.

DETERMINATION OF ENERGY BILLED.

Upon acceptance of the required data, the Company shall modify the energy billed going forward for a period of up to twelve months or at another frequency as required by the Company. The energy use for a month of a Service Location shall be computed to the nearest kilowatt hour as the product of one thousandth of its wattage, adjusted based on the provided dimming percentage/factor, and the provided burning hours during the calendar month.

The Company may, at any time and without prior notice, request that the customer provide updates to the above data or provide actual energy consumption data and burning hours for each light, by calendar month, for up to the past 12 months to verify the continued accuracy of Company billing.

For any regularly scheduled billing cycle in which the customer has not provided acceptable information from its Company-approved Smart Lighting Control Module, the Company shall modify the energy billed going forward by changing the burning hours used to the standard 4,100 burning hours as defined below under Paragraph 1 Service of Terms and Conditions.

The Company reserves the right to modify the customer's rate to SL-E in the continued absence of required data from the customer.

TERMS AND CONDITIONS.

1. Service. For any regularly scheduled billing cycle in which the customer has not provided acceptable information from its Company-approved Smart Lighting Control Module, lighting service will be operated on all-night, every-night lighting schedules, under which lights normally are turned on after sunset and off before sunrise with approximately 4,100 annual operating hours (average monthly burning hours = 341.11 hours). Extended lighting service during all daylight hours will be supplied for lamps specified by the customer.
If the customer provides information from the Smart Lighting Control Module as described above to justify a different billing usage, the burning hours provided by the customer will be used instead of the standard 4,100 annual operating hours.

(D) Denotes Decrease

RATE TLCL TRAFFIC LIGHTING CONSTANT LOAD SERVICE

AVAILABILITY.

To any municipality using the Company's standard service for (a) electric traffic signal lights installed, owned and maintained by the municipality, and/or (b) unmetered traffic control cameras or other small constant load electronic devices with a demand of less than 1.2 kW, owned and maintained by the municipality.

To any non-municipal non-residential customer using the Company's standard service for unmetered small constant load electronic devices with a demand of less than 1.2 kW, owned and maintained by the non-municipal customer, which are electrically separate from any other facilities, whether municipally-owned or non-municipally-owned, that are receiving service from PECO as a separate account.

To any non-municipal non-residential customer using the Company's standard service for unmetered small constant load electronic devices with a demand of less than 1.2 kW, owned and maintained by the non-municipal customer, which are electrically integrated with any other facilities, whether municipally-owned or non-municipally-owned, that are receiving service from PECO as a separate account, but only if the non-municipal customer meets the conditions of the Special Termination Rights provision of this Rate.

CURRENT CHARACTERISTICS.

Standard single phase secondary service.

RATE TABLE.

SERVICE LOCATION CHARGE: \$3.67 PER LOCATION

VARIABLE DISTRIBUTION SERVICE CHARGE: \$0.02511 per kWh (as defined below)*

(D)

*The Variable Distribution charge includes an Energy Efficiency Program Surcharge of \$0.00787 per kWh

ENERGY SUPPLY CHARGE: Refer to the Generation Supply Adjustment Procurement Class 2.

TRANSMISSION SERVICE FOR CUSTOMERS RECEIVING DEFAULT SERVICE: Transmission Service Charge shall apply.

STATE TAX ADJUSTMENT CLAUSE, DISTRIBUTION SYSTEM IMPROVEMENT CHARGE (DSIC), FEDERAL TAX ADJUSTMENT CREDIT (FTAC), PROVISION FOR THE RECOVERY OF CONSUMER EDUCATION PLAN COSTS, PROVISION FOR THE RECOVERY OF ENERGY EFFICIENCY, NON-BYPASSABLE TRANSMISSION CHARGE, CONSERVATION PROGRAM COSTS, PROVISION FOR THE TAX ACCOUNTING REPAIR CREDIT AND NUCLEAR DECOMMISSIONING COST ADJUSTMENT APPLY TO THIS RATE.

SPECIAL RULES AND REGULATIONS.

The use of energy will be estimated by the Company on the basis of the size of lamps and controlling apparatus and the burning hours. The customer shall immediately notify the Company whenever any change is made in the equipment or the burning hours or constant load devices, so that the Company may forthwith revise its estimate of the energy used.

The Company shall not be liable for damage to person or property arising, accruing or resulting from the attachment of the signal equipment to its poles, wires, or fixtures. The customer shall be responsible to determine the amount, location and sufficiency of illumination, including conducting all studies of luminosity, lighting location, and traffic.

SPECIAL TERMINATION RIGHTS

Some facilities that receive service under Rate TLCL may be electrically configured such that it is not possible to terminate service to the Rate TLCL facility without also terminating service to a facility that is receiving service under a separate account, Rate or Rider. In the event of non-payment of bills for service to such a Rate TLCL facility, PECO will provide a termination notice to the customer. The customer may then, at its discretion, notify PECO that it intends to engage in self-termination by removing its facilities from the PECO system within 30 days. If the customer has not removed its facilities within 30 days, then PECO may, at its sole discretion and upon 72-hour notice, physically remove the customer facility as a means of terminating service to that facility. Taking service under Rate TLCL constitutes full customer permission for PECO to engage in such removals. Notwithstanding any removal of such facilities by either the customer or PECO, the customer shall remain fully obligated to PECO for payment of all charges incurred under Rate TLCL. In addition, the customer shall pay to PECO its full cost of removing the facilities, including direct and indirect labor costs, use of truck or other equipment, fuel costs, and costs of storing the customer equipment, all at PECO's normal rates for such work at such time as it may perform such removals. PECO shall not be liable for damage, if any, to the customer equipment that occurs during removal or storage.

TERM OF CONTRACT.

The initial contract term for each signal light installation and constant load device shall be for at least one year.

PAYMENT TERMS.

Standard.

(D) Denotes Decrease